



Commercial Collection

RUGGED GROOVED OR FLUSH
GARAGE DOORS

**The Commercial Collection offers a
wide variety of designs including**

... ..

(317) 839-3050

nanole



**a commercial grade hardware
package, our doors are sure to stand
up to most industrial environments.
They are perfect for warehouses,
commercial and agricultural
buildings.**

The designs and colors shown on monitors may vary from the actual product. For a true representation of the color or design, visit your local Prodoor Dealer.

(317) 839-3050



(317) 839-3050




ProDoor's steel sandwich construction creates a strong and durable section that provides an insulated barrier from the harshest environments.

- Heavy-Duty 14 or 11 Gauge Hinges
- 2" or 3" Steel 10-Ball Bearing Rollers (as required)
- 2" or 3" Galvanized Steel Track (as required)

STRENGTH & EFFICIENCY
combined with value


(317) 839-3050



WHITE



SAND



BROWN



BRONZE



GREY



BLACK

Brochure color may vary from actual product. Bronze Only Available in Grooved & Flush Panels

(317) 839-3050



The Difference is in the Construction

Models Available:

4421 Insulated 3-Layer I 24 ga. Steel

4422 Insulated 3-Layer I 24 ga. Steel

(317) 839-3050



- .022" 24 ga. Steel Exterior
- Tongue & Groove Section Joint
- Heavy-Duty Galvanized End Stiles
- Aluminum Bottom Seal Retainer
- Vinyl Bottom Weatherseal

INSULATED 2-LAYER



6.8*

R-Value

- .022" 24 ga. Steel Exterior
- Tongue & Groove Section Joint
- 1 3/8" Polystyrene Construction
- Heavy-Duty Galvanized End Stiles
- Aluminum Bottom Seal Retainer
- Vinyl Bottom Weatherseal

(317) 839-3050



10.0*

R-Value

- .022" 24 ga. Nominal Steel Exterior
- 26 ga. Steel Interior
- Tongue & Groove Section Joint
- 2" Steel Sandwich Construction
- Heavy-Duty Galvanized End Caps
- Aluminum Bottom Seal Retainer
- Vinyl Bottom Weatherseal

*Pending testing in accordance with DASMA TDS-163

DESIGN:

Available in Grooved & Flush Panels

HARDWARE:

Heavy-Duty 14 or 11 gauge hinges 12" or 3" Steel 10-Ball Bearing Rollers (as required) 12" or 3" Galvanized Steel Track (as required)

SECTION:

2" Steel hemmed rail or sandwich construction with tongue and groove section joints and heavy-duty 18 gauge stiles

WARRANTY:

5 Year Finish Warranty Covering Rust Through 1 Year

(317) 839-3050



MFG

IN

OH

TN

AR

TX

Pro Door Manufacturing

Main Location:

6030 Gateway Drive

Plainfield, IN 46168

Main Phone: (317) 839-3050

Main Fax: (317) 838-3533

[View On Map](#)



Proudly Manufactured in Indiana, U.S.A

(317) 839-3050

(317) 839-3050